* * * *			<u> </u>
	Application No.	Applicant(s)	
Notice of Allowability	09/830,528	JALLET ET AL.	
	Examiner	Art Unit	
	Gary K Graham	1744	
The MAILING DATE of this communication appe	ars on the cover sheet with the co	rrespondence addr	000
All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed Course THIS
1. This communication is responsive to <u>amendment filed 08 E</u>	December 2003 and interview of 08 J	anuary 2004.	
2. The allowed claim(s) is/are 10-27.			
3. The drawings filed on 26 April 2001 are accepted by the Ex			
 Acknowledgment is made of a claim for foreign priority un a)	der 35 U.S.C. § 119(a)-(d) or (f).		
 Certified copies of the priority documents have 	been received.		
Certified copies of the priority documents have	been received in Application No	·	
Copies of the certified copies of the priority doc	cuments have been received in this r	ational stage applica	tion from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
 Acknowledgment is made of a claim for domestic priority ur reference was included in the first sentence of the specifica 	tion or in an Application Data Sheet.	onal application) since 37 CFR 1.78.	a specific
(a) ☐ The translation of the foreign language provisional ap			
 Acknowledgment is made of a claim for domestic priority un in the first sentence of the specification or in an Application 	nder 35 U.S.C. §§ 120 and/or 121 sin Data Sheet. 37 CFR 1.78.	ice a specific referenc	e was included
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of t	this communication to file a reply conhis application. THIS THREE-MON	mplying with the requ TH PERIOD IS NOT	irements noted EXTENDABLE
 A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 	tted. Note the attached EXAMINER's s reason(s) why the oath or declarat	S AMENDMENT or N ion is deficient.	OTICE OF
8. CORRECTED DRAWINGS (as "replacement sheets") must	be submitted.		
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review (PTO-9	48) attached	
 hereto or 2) ☐ to Paper No 			
(b) ☐ including changes required by the proposed drawing co			
(c) ☐ including changes required by the attached Examiner's	Amendment / Comment or in the Of	fice action of Paper N	lo
Identifying indicia such as the application number (see 37 CFR 1.4 each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawing e margin according to 37 CFR 1.121(d	gs in the front (not the).	back) of
9. DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT FOR TH	it of BIOLOGICAL MATERIAL m HE DEPOSIT OF BIOLOGICAL MAT	ust be submitted. N ERIAL.	lote the
Attachment(s)			
1 Notice of References Cited (PTO-892)	5☐ Notice of Informal Pate	ent Application (PTO-	152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)	6⊠ Interview Summary (P	TO-413), Paper No. <u>0</u>	<u> 1082004</u> .
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No.	7⊠ Examiner's Amendme	nt/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8☐ Examiner's Statement 9☐ Other	of Reasons for Allow	ance /

U.S. Patent and Trademark Office PTOL-37 (Rev. 11-03)

Gary K Graham Primary Examiner Art Unit: 1744

Application/Control Number: 09/830,528

Art Unit: 1744

EXAMINER'S AMENDMENT

The following changes are made to correct what appears to be an inaccurate description of the upstream wing in claims 11 and 20. While the claims set forth that the upstream wing presents a planar surface, it appears the surface of the wing would not be planar as claims 10 and 19 set forth that the upstream wing is curved along its length. It does however appear the upstream wing will be substantially flat in transverse cross-section. Note figures 4 and 5 wherein the upstream wing (20) is shown as flat in the transverse cross-section. Also, note paragraph 31 of the specification, wherein the upstream wing is defined as flat but inclined.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas D. Helmholdt on 08 January 2004.

The application has been amended as follows:

In the Claims

In claim 11, line 2, change "presenting a substantially planar surface" to ---being, in transverse cross-section, substantially flat---.

In claim 20, line 2, change "presenting a substantially planar surface" to ---being, in transverse cross-section, substantially flat---.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden can be reached on 571-272-1281. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Gary K Graham Primary Examiner

Art Unit 1744